ELSEVIER

Hearing Research 114 (1997) 277–278

HEARING RESEARCH

Author Index Volume 114

Adams, J.C., see Stanković, K.M. (114) 21
Alper, S.L., see Stanković, K.M. (114) 21
Ando, M., see Takeuchi, S. (114) 69

Braun, M.,
Frequency spacing of multiple spontaneous otoacoustic emissions shows relation to critical bands: a large-scale cumulative study (114) 197
Brown, D., see Stanković, K.M. (114) 21
Brunschwig, A.S., and Salt, A.N.
Fixation-induced shrinkage of Reissner's membrane and its potential influence on the assessment of endolymph volume (114) 62

Carlile, S., Leong, P. and Hyams, S.
The nature and distribution of errors in sound localization by human listeners (114) 179
Clark, G.M., see Liu, X. (114) 264
Cook, S.A., see Johnson, K.R. (114) 83
Corwin, J.T., see Kil, J. (114) 117
Crann, S.A., see Lautermann, J. (114) 75

Demêmes, D., and Ryzhova, I.
Ontogenesis of substance P in the rat peripheral vestibular system (114) 252
Dolan, D.F., see Nuttall, A.L. (114) 35
Don, D.M., Newman, A.N., Micevych, P.E. and Popper, P.
Expression of brain-derived neurotrophic factor and its receptor mRNA in the vestibuloauditory system of the bullfrog (114) 10

Erway, L.C., see Johnson, K.R. (114) 83

Fitzakerley, J.L., Schaefer, K.L., Kitko, R.A. and Manis, P.B.
Properties of cochlear nucleus neurons in primary culture (114) 148
Furukawa, M., see Suzuki, H. (114) 223

Geisler, C.D.,
Further results with the 'uniquantal EPSP' hypothesis (114) 43
Gratton, M.A., Schulte, B.A. and Smythe, N.M.
Quantification of the stria vascularis and strial capillary areas in quiet-reared young and aged gerbils (114) 1
Guo, M., see Nuttall, A.L. (114) 35

Hallworth, R.,
Modulation of outer hair cell compliance and force by agents that affect hearing (114) 204
Han, J.J., see Lalwani, A.K. (114) 139
Hyams, S., see Carlile, S. (114) 179

Johnson, K.R., Erway, L.C., Cook, S.A., Willott, J.F. and Zheng, Q.Y.
A major gene affecting age-related hearing loss in C57BL/6J mice (114) 83

Kil, J., Warchol, M.E. and Corwin, J.T.
Cell death, cell proliferation, and estimates of hair cell life spans in the vestibular organs of chicks (114) 117
Kitko, R.A., see Fitzakerley, J.L. (114) 148
Klinke, R., see Müller, M. (114) 259
Klis, S.F.L., see van Emst, M.G. (114) 93

Lalwani, A.K., Han, J.J., Walsh, B.J., Zolotukhin, S., Muzyczka, N. and Mhatre, A.N.
Green fluorescent protein as a reporter for gene transfer studies in the cochlea (114) 139
Lautermann, J., Crann, S.A., McLaren, J. and Schacht, J.
Glutathione-dependent antioxidant systems in the mammalian inner ear: effects of aging, ototoxic drugs and noise (114) 75
Leong, P., see Carlile, S. (114) 179
Leong, S.K., see Ruan, R.S. (114) 169
Liu, X., McPhee, G., Seldon, H.L. and Clark, G.M.
Histological and physiological effects of the central auditory prosthesis: surface versus penetrating electrodes (114) 264
Liu, J., see Sunose, H. (114) 107

Manis, P.B., see Fitzakerley, J.L. (114) 148
Mansour, S.L., see Yang, W. (114) 53
Marcus, D.C., see Sunose, H. (114) 107
McLaren, J., see Lautermann, J. (114) 75
McPhee, G., see Liu, X. (114) 264
Meyer zum Gottesberge, A.M., see Müller, M. (114) 259
Mhatre, A.N., see Lalwani, A.K. (114) 139
Micevych, P.E., see Don, D.M. (114) 10
Müller, M., Smolders, J.W.T., Meyer zum Gottesberge, A.M., Reuter, A., Zwacka, R.M., Weiher, H. and Klinke, R.
Loss of auditory function in transgenic Mpv17-deficient mice (114) 259
Musci, T.S., see Yang, W. (114) 53
Muzyczka, N., see Lalwani, A.K. (114) 139

Newman, A.N., see Don, D.M. (114) 10
Nuttall, A.L., Guo, M., Ren, T. and Dolan, D.F.
Basilar membrane velocity noise (114) 35

Popper, P., see Don, D.M. (114) 10
Puil, E., see Schwarz, D.W.F. (114) 127
Puschner, B., and Schacht, J.
Energy metabolism in cochlear outer hair cells in vitro (114) 102

Ren, T., see Nuttall, A.L. (114) 35
Reuter, A., see Müller, M. (114) 259
Ruan, R.S., Leong, S.K. and Yeoh, K.H.
Ototoxicity of sodium nitroprusside (114) 169
Ryzhova, I., see Demêmes, D. (114) 252
Salt, A.N., see Brunschwig, A.S. (114) 62

Schacht, J., see Puschner, B. (114) 102
Schacht, J., see Lautermann, J. (114) 75
Schaefer, K.L., see Fitzakerley, J.L. (114) 148
Schulte, B.A., see Gratton, M.A. (114) 1
Schwarz, D.W.F., and Puil, E.
Firing properties of spherical bushy cells in the anteroventral cochlear nucleus of the gerbil (114) 127
Scofield, M.A., see Shimozono, M. (114) 213
Segenhout, J.M., see van Dijk, P. (114) 229, 243
Seldon, H.L., see Liu, X. (114) 264
Shimozono, M., Scofield, M.A. and Wangemann, P.
Functional evidence for a monocarboxylate transporter (MCT) in strial marginal cells and molecular evidence for MCT1 and MCT2 in stria vascularis (114) 213
Smolders, J.W.T., see Müller, M. (114) 259
Smoorenburg, G.F., see van Emst, M.G. (114) 93
Smythe, N.M., see Gratton, M.A. (114) 1
Stanković, K.M., Brown, D., Alper, S.L. and Adams, J.C.
Localization of pH regulating proteins H^+ATPase and exchanger in the guinea pig inner ear (114) 21
Sunose, H., Liu, J. and Marcus, D.C.
cAMP increases K^+ secretion via activation of apical I_{sK}/KvLQT1 channels in strial marginal cells (114) 107
Suzuki, H., Furukawa, M. and Takasaka, T.
Quantitative uronic acid analysis of the otoconial membrane of the guinea pig (114) 223

Takasaka, T., see Suzuki, H. (114) 223
Takeuchi, S., and Ando, M.
Marginal cells of the stria vascularis of gerbils take up glucose via the facilitated transporter GLUT: application of autofluorescence (114) 69

van Dijk, P., Wit, H.P. and Segenhout, J.M.
Dissecting the frog inner ear with Gaussian noise. I. Application of high-order Wiener-kernel analysis (114) 229
van Dijk, P., Wit, H.P. and Segenhout, J.M.
Dissecting the frog inner ear with Gaussian noise. II. Temperature dependence of inner ear function (114) 243
van Emst, M.G., Klis, S.F.L. and Smoorenburg, G.F.
Identification of the nonlinearity governing even-order distortion products in cochlear potentials (114) 93

Walsh, B.J., see Lalwani, A.K. (114) 139
Wangemann, P., see Shimozono, M. (114) 213
Warchol, M.E., see Kil, J. (114) 117
Weiher, H., see Müller, M. (114) 259
Willott, J.F., see Johnson, K.R. (114) 83
Wit, H.P., see van Dijk, P. (114) 229, (114) 243

Yang, W., Musci, T.S. and Mansour, S.L.
Trapping genes expressed in the developing mouse inner ear (114) 53
Yeoh, K.H., see Ruan, R.S. (114) 169

Zheng, Q.Y., see Johnson, K.R. (114) 83
Zolotukhin, S., see Lalwani, A.K. (114) 139
Zwacka, R.M., see Müller, M. (114) 259

ELSEVIER

Hearing Research 114 (1997) 279–283

HEARING RESEARCH

Subject Index Volume 114

2′,7′-Bis-(2-carboxyethyl)-5(6)-carboxyfluorescein
H^+/monocarboxylate$^-$ cotransporter; Stria vascularis; Reverse-transcription polymerase chain reaction (Shimozono, M. (114) 213)

Adeno-associated virus
Green fluorescent protein; Gene transfer; Gene therapy; Cochlea; Guinea pig (Lalwani, A.K. (114) 139)

Adenosine triphosphate
Glycolysis; Luciferase assay (Puschner, B. (114) 102)

Adenylate cyclase
Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; KvLQT1; Temperature dependence (Sunose, H. (114) 107)

Age
Glutathione; Free radical; Noise trauma; Ototoxic drug (Lautermann, J. (114) 75)

Non-syndromic; Hearing loss; Genetic mapping; Mice; Presbycusis (Johnson, K.R. (114) 83)

Alport's syndrome
Mpv17; Hearing; Audiogram; Degeneration; Glomerulosclerosis (Müller, M. (114) 259)

Aminoglycoside
Apoptosis; Hair cell; Cell life span; Cell death; Cell proliferation; Turnover (Kil, J. (114) 117)

Apoptosis
Aminoglycoside; Hair cell; Cell life span; Cell death; Cell proliferation; Turnover (Kil, J. (114) 117)

Audiogram
Mpv17; Hearing; Degeneration; Glomerulosclerosis; Alport's syndrome (Müller, M. (114) 259)

Auditory brainstem
Cochlear nucleus; Primary culture; Culture medium; Whole-cell recording (Fitzakerley, J.L. (114) 148)

Auditory system
Brain-derived neurotrophic factor; Neurotrophin; Vestibular system; In situ hybridization (Don, D.M. (114) 10)

Autofluorescence
Marginal cell; Mitochondria; NADH; GLUT (Takeuchi, S. (114) 69)

Basilar membrane
Guinea pig; Cochlea; Laser interferometer; Cochlear mechanics; Noise; Brownian motion (Nuttall, A.L. (114) 35)

Binaural processing
Sound localization; Spectral cue; Pinna (Carlile, S. (114) 179)

Brain-derived neurotrophic factor
Neurotrophin; Vestibular system; Auditory system; In situ hybridization (Don, D.M. (114) 10)

Brainstem
Cochlear nucleus; Electrical stimulation; Surface electrode; Cat; Guinea pig (Liu, X. (114) 264)

Brownian motion
Guinea pig; Cochlea; Basilar membrane; Laser interferometer; Cochlear mechanics; Noise (Nuttall, A.L. (114) 35)

Cat
Brainstem; Cochlear nucleus; Electrical stimulation; Surface electrode; Guinea pig (Liu, X. (114) 264)

Cell death
Apoptosis; Aminoglycoside; Hair cell; Cell life span; Cell proliferation; Turnover (Kil, J. (114) 117)

Cell life span
Apoptosis; Aminoglycoside; Hair cell; Cell death; Cell proliferation; Turnover (Kil, J. (114) 117)

Cell proliferation
Apoptosis; Aminoglycoside; Hair cell; Cell life span; Cell death; Turnover (Kil, J. (114) 117)

Cochlea
Morphometry; Presbyacusis; Pathology; Vasculature (Gratton, M.A. (114) 1)

Primary neuron; Excitatory post-synaptic potential; Uniquantal; Spontaneous rate; Hazard function (Geisler, C.D. (114) 43)

Guinea pig; Basilar membrane; Laser interferometer; Cochlear mechanics; Noise; Brownian motion (Nuttall, A.L. (114) 35)

Green fluorescent protein; Gene transfer; Gene therapy; Guinea pig; Adeno-associated virus (Lalwani, A.K. (114) 139)

Reissner's membrane; Endolymph; Endolymphatic hydrops (Brunschwig, A.S. (114) 62)

Guinea pig; Cochlea; Basilar membrane; Laser interferometer; Noise; Brownian motion (Nuttall, A.L. (114) 35)

Cochlear microphonics
Summating potential; Distortion product; Nonlinearity; Guinea pig (van Emst, M.G. (114) 93)

Cochlear nucleus
Primary culture; Auditory brainstem; Culture medium; Whole-cell recording (Fitzakerley, J.L. (114) 148)

Spherical bushy cell; Membrane property; Temporal code (Schwarz, D.W.F. (114) 127)

Brainstem; Electrical stimulation; Surface electrode; Cat; Guinea pig (Liu, X. (114) 264)

Critical band
Spontaneous otoacoustic emission; Inferior colliculus; Neural temporal order; Olivocochlear efferent; Outer hair cell (Braun, M. (114) 197)

Culture medium
Cochlear nucleus; Primary culture; Auditory brainstem; Whole-cell recording (Fitzakerley, J.L. (114) 148)

Degeneration
Mpv17; Hearing; Audiogram; Glomerulosclerosis; Alport's syndrome (Müller, M. (114) 259)

Distortion product
Summating potential; Cochlear microphonics; Nonlinearity; Guinea pig (van Emst, M.G. (114) 93)

Electrical stimulation
Brainstem; Cochlear nucleus; Surface electrode; Cat; Guinea pig (Liu, X. (114) 264)

Embryonic stem cells
Gene trap screen; Retinoic acid; Thyroid hormone; Nerve growth factor; Mouse development (Yang, W. (114) 53)

Endolymph
vH^+ATPase; exchanger; pH (Stanković, K.M. (114) 21)

Cochlea; Reissner's membrane; Endolymphatic hydrops (Brunschwig, A.S. (114) 62)

Cochlea; Reissner's membrane; Endolymph (Brunschwig, A.S. (114) 62)

exchanger
vH^+ATPase; Endolymph; pH (Stanković, K.M. (114) 21)

Excitatory post-synaptic potential
Cochlea; Primary neuron; Uniquantal; Spontaneous rate; Hazard function (Geisler, C.D. (114) 43)

Free radical
Glutathione; Noise trauma; Ototoxic drug; Age (Lautermann, J. (114) 75)

Frog
Inner ear; VIIIth nerve; Wiener kernel; Polynomial correlation; Nonlinearity (van Dijk, P. (114) 229)

Inner ear; VIIIth nerve; Temperature; Wiener kernel; Nonlinearity (van Dijk, P. (114) 243)

Gene therapy
Green fluorescent protein; Gene transfer; Cochlea; Guinea pig; Adeno-associated virus (Lalwani, A.K. (114) 139)

Gene transfer
Green fluorescent protein; Gene therapy; Cochlea; Guinea pig; Adeno-associated virus (Lalwani, A.K. (114) 139)

Gene trap screen
Retinoic acid; Thyroid hormone; Nerve growth factor; Embryonic stem cells; Mouse development (Yang, W. (114) 53)

Genetic mapping
Age-related; Non-syndromic; Hearing loss; Mice; Presbycusis (Johnson, K.R. (114) 83)

Gerbil
On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

Glomerulosclerosis
Mpv17; Hearing; Audiogram; Degeneration; Alport's syndrome (Müller, M. (114) 259)

GLUT
Marginal cell; Autofluorescence; Mitochondria; NADH (Takeuchi, S. (114) 69)

Free radical; Noise trauma; Ototoxic drug; Age (Lautermann, J. (114) 75)

Glycolysis
Adenosine triphosphate; Luciferase assay (Puschner, B. (114) 102)

Glycosaminoglycan
Uronic acid; Otoconial membrane; Methanolysis; Thermolysin; Reversed-phase high-performance liquid chromatography (Suzuki, H. (114) 223)

Green fluorescent protein
Gene transfer; Gene therapy; Cochlea; Guinea pig; Adeno-associated virus (Lalwani, A.K. (114) 139)

Guinea pig
Cochlea; Basilar membrane; Laser interferometer; Cochlear mechanics; Noise; Brownian motion (Nuttall, A.L. (114) 35)

Green fluorescent protein; Gene transfer; Gene therapy; Cochlea; Adeno-associated virus (Lalwani, A.K. (114) 139)

Summating potential; Cochlear microphonics; Distortion product; Nonlinearity (van Emst, M.G. (114) 93)

Hair cells; Inner hair cells; Outer hair cells; Nitric oxide; Sodium nitroprusside; L-NAME (Ruan, R.S. (114) 169)

Brainstem; Cochlear nucleus; Electrical stimulation; Surface electrode; Cat (Liu, X. (114) 264)

H^+/monocarboxylate$^-$ cotransporter
2′,7′-Bis-(2-carboxyethyl)-5(6)-carboxyfluorescein; Stria vascularis; Reverse-transcription polymerase chain reaction (Shimozono, M. (114) 213)

Hair cell
Apoptosis; Aminoglycoside; Cell life span; Cell death; Cell proliferation; Turnover (Kil, J. (114) 117)

Inner hair cells; Outer hair cells; Guinea pig; Nitric oxide; Sodium nitroprusside; L-NAME (Ruan, R.S. (114) 169)

Hazard function
Cochlea; Primary neuron; Excitatory post-synaptic potential; Uniquantal; Spontaneous rate (Geisler, C.D. (114) 43)

Hearing
Mpv17; Audiogram; Degeneration; Glomerulosclerosis; Alport's syndrome (Müller, M. (114) 259)

Age-related; Non-syndromic; Genetic mapping; Mice; Presbycusis (Johnson, K.R. (114) 83)

Immunocytochemistry
Substance P; Vestibular receptor; Ontogeny; Rat (Demêmes, D. (114) 252)

In situ hybridization
Brain-derived neurotrophic factor; Neurotrophin; Vestibular system; Auditory system (Don, D.M. (114) 10)

Inferior colliculus
Spontaneous otoacoustic emission; Critical band; Neural temporal order; Olivocochlear efferent; Outer hair cell (Braun, M. (114) 197)

Inner ear
Frog; VIIIth nerve; Wiener kernel; Polynomial correlation; Nonlinearity (van Dijk, P. (114) 229)

Frog; VIIIth nerve; Temperature; Wiener kernel; Nonlinearity (van Dijk, P. (114) 243)

Inner hair cells
Hair cells; Outer hair cells; Guinea pig; Nitric oxide; Sodium nitroprusside; L-NAME (Ruan, R.S. (114) 169)

KvLQT1
Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

L-NAME
Hair cells; Inner hair cells; Outer hair cells; Guinea pig; Nitric oxide; Sodium nitroprusside (Ruan, R.S. (114) 169)

Laser interferometer
Guinea pig; Cochlea; Basilar membrane; Cochlear mechanics; Noise; Brownian motion (Nuttall, A.L. (114) 35)

Luciferase assay
Adenosine triphosphate; Glycolysis (Puschner, B. (114) 102)

Marginal cell
Autofluorescence; Mitochondria; NADH; GLUT (Takeuchi, S. (114) 69)

Membrane property
Cochlear nucleus; Spherical bushy cell; Temporal code (Schwarz, D.W.F. (114) 127)

Methanolysis
Uronic acid; Otoconial membrane; Thermolysin; Reversed-phase high-performance liquid chromatography; Glycosaminoglycan (Suzuki, H. (114) 223)

Mice
Age-related; Non-syndromic; Hearing loss; Genetic mapping; Presbycusis (Johnson, K.R. (114) 83)

Micro-Ussing chamber
Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Self-referencing K^+-selective probe; minK channel; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

minK channel
Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

Mitochondria
Marginal cell; Autofluorescence; NADH; GLUT (Takeuchi, S. (114) 69)

Morphometry
Presbyacusis; Cochlea; Pathology; Vasculature (Gratton, M.A. (114) 1)

Motility
Outer hair cells; Overstimulation; Osmotic challenge; Salicylate (Hallworth, R. (114) 204)

Mouse development
Gene trap screen; Retinoic acid; Thyroid hormone; Nerve growth factor; Embryonic stem cells (Yang, W. (114) 53)

Mpv17
Hearing; Audiogram; Degeneration; Glomerulosclerosis; Alport's syndrome (Müller, M. (114) 259)

NADH
Marginal cell; Autofluorescence; Mitochondria; GLUT (Takeuchi, S. (114) 69)

Nerve growth factor
Gene trap screen; Retinoic acid; Thyroid hormone; Embryonic stem cells; Mouse development (Yang, W. (114) 53)

Neural temporal order
Spontaneous otoacoustic emission; Critical band; Inferior colliculus; Olivocochlear efferent; Outer hair cell (Braun, M. (114) 197)

Neurotrophin
Brain-derived neurotrophic factor; Vestibular system; Auditory system; In situ hybridization (Don, D.M. (114) 10)

Nitric oxide
Hair cells; Inner hair cells; Outer hair cells; Guinea pig; Sodium nitroprusside; L-NAME (Ruan, R.S. (114) 169)

Noise
Guinea pig; Cochlea; Basilar membrane; Laser interferometer; Cochlear mechanics; Brownian motion (Nuttall, A.L. (114) 35)

Glutathione; Free radical; Ototoxic drug; Age (Lautermann, J. (114) 75)

Non-syndromic
Age-related; Hearing loss; Genetic mapping; Mice; Presbycusis (Johnson, K.R. (114) 83)

Nonlinearity
Summating potential; Cochlear microphonics; Distortion product; Guinea pig (van Emst, M.G. (114) 93)

Frog; Inner ear; VIIIth nerve; Wiener kernel; Polynomial correlation (van Dijk, P. (114) 229)

Frog; Inner ear; VIIIth nerve; Temperature; Wiener kernel (van Dijk, P. (114) 243)

Nystatin-perforated whole-cell patch clamp
Gerbil; On-cell macro-patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

Olivocochlear efferent
Spontaneous otoacoustic emission; Critical band; Inferior colliculus; Neural temporal order; Outer hair cell (Braun, M. (114) 197)

On-cell macro-patch clamp
Gerbil; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

Ontogeny
Substance P; Vestibular receptor; Rat; Immunocytochemistry (Demêmes, D. (114) 252)

Osmotic challenge
Outer hair cells; Motility; Overstimulation; Salicylate (Hallworth, R. (114) 204)

Otoconial membrane
Uronic acid; Methanolysis; Thermolysin; Reversed-phase high-performance liquid chromatography; Glycosaminoglycan (Suzuki, H. (114) 223)

Ototoxic drug
Glutathione; Free radical; Noise trauma; Age (Lautermann, J. (114) 75)

Outer hair cell
Spontaneous otoacoustic emission; Critical band; Inferior colliculus; Neural temporal order; Olivocochlear efferent (Braun, M. (114) 197)

Hair cells; Inner hair cells; Guinea pig; Nitric oxide; Sodium nitroprusside; L-NAME (Ruan, R.S. (114) 169)

Motility; Overstimulation; Osmotic challenge; Salicylate (Hallworth, R. (114) 204)

Overstimulation
Outer hair cells; Motility; Osmotic challenge; Salicylate (Hallworth, R. (114) 204)

Pathology
Morphometry; Presbyacusis; Cochlea; Vasculature (Gratton, M.A. (114) 1)

pH
vH^+ATPase; exchanger; Endolymph (Stanković, K.M. (114) 21)

Pinna
Sound localization; Spectral cue; Binaural processing (Carlile, S. (114) 179)

Polynomial correlation
Frog; Inner ear; VIIIth nerve; Wiener kernel; Nonlinearity (van Dijk, P. (114) 229)

Presbyacusis
Morphometry; Cochlea; Pathology; Vasculature (Gratton, M.A. (114) 1)

Presbycusis
Age-related; Non-syndromic; Hearing loss; Genetic mapping; Mice (Johnson, K.R. (114) 83)

Primary culture
Cochlear nucleus; Auditory brainstem; Culture medium; Whole-cell recording (Fitzakerley, J.L. (114) 148)

Primary neuron
Cochlea; Excitatory post-synaptic potential; Uniquantal; Spontaneous rate; Hazard function (Geisler, C.D. (114) 43)

Rat
Substance P; Vestibular receptor; Ontogeny; Immunocytochemistry (Demêmes, D. (114) 252)

Reissner's membrane
Cochlea; Endolymph; Endolymphatic hydrops (Brunschwig, A.S. (114) 62)

Retinoic acid
Gene trap screen; Thyroid hormone; Nerve growth factor; Embryonic stem cells; Mouse development (Yang, W. (114) 53)

Reverse-transcription polymerase chain reaction
H^+/monocarboxylate$^-$ cotransporter; 2′,7′-Bis-(2-carboxyethyl)-5(6)-carboxyfluorescein; Stria vascularis (Shimozono, M. (114) 213)

Reversed-phase high-performance liquid chromatography
Uronic acid; Otoconial membrane; Methanolysis; Thermolysin; Glycosaminoglycan (Suzuki, H. (114) 223)

Salicylate
Outer hair cells; Motility; Overstimulation; Osmotic challenge (Hallworth, R. (114) 204)

Self-referencing K^+-selective probe
Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; minK channel; KvLQT1; Adenylate cyclase; Temperature dependence (Sunose, H. (114) 107)

Sodium nitroprusside
Hair cells; Inner hair cells; Outer hair cells; Guinea pig; Nitric oxide; L-NAME (Ruan, R.S. (114) 169)

Sound localization
Spectral cue; Pinna; Binaural processing (Carlile, S. (114) 179)

Spectral cue
Sound localization; Pinna; Binaural processing (Carlile, S. (114) 179)

Spherical bushy cell
Cochlear nucleus; Membrane property; Temporal code (Schwarz, D.W.F. (114) 127)

Spontaneous otoacoustic emission
Critical band; Inferior colliculus; Neural temporal order; Olivocochlear efferent; Outer hair cell (Braun, M. (114) 197)

Spontaneous rate
Cochlea; Primary neuron; Excitatory post-synaptic potential; Uniquantal; Hazard function (Geisler, C.D. (114) 43)

Stria vascularis
H^+/monocarboxylate$^-$ cotransporter; 2′,7′-Bis-(2-carboxyethyl)-5(6)-carboxyfluorescein; Reverse-transcription polymerase chain reaction (Shimozono, M. (114) 213)

Substance P
Vestibular receptor; Ontogeny; Rat; Immunocytochemistry (Demêmes, D. (114) 252)

Summating potential
Cochlear microphonics; Distortion product; Nonlinearity; Guinea pig (van Emst, M.G. (114) 93)

Surface electrode
Brainstem; Cochlear nucleus; Electrical stimulation; Cat; Guinea pig (Liu, X. (114) 264)

Temperature
Frog; Inner ear; VIIIth nerve; Wiener kernel; Nonlinearity (van Dijk, P. (114) 243)

Gerbil; On-cell macro-patch clamp; Nystatin-perforated whole-cell patch clamp; Micro-Ussing chamber; Self-referencing K^+-selective probe; minK channel; KvLQT1; Adenylate cyclase (Sunose, H. (114) 107)

Temporal code
Cochlear nucleus; Spherical bushy cell; Membrane property (Schwarz, D.W.F. (114) 127)

Thermolysin
Uronic acid; Otoconial membrane; Methanolysis; Reversed-phase high-performance liquid chromatography; Glycosaminoglycan (Suzuki, H. (114) 223)

Thyroid hormone
Gene trap screen; Retinoic acid; Nerve growth factor; Embryonic stem cells; Mouse development (Yang, W. (114) 53)

Turnover
Apoptosis; Aminoglycoside; Hair cell; Cell life span; Cell death; Cell proliferation (Kil, J. (114) 117)

Uniquantal
Cochlea; Primary neuron; Excitatory post-synaptic potential; Spontaneous rate; Hazard function (Geisler, C.D. (114) 43)

Uronic acid
Otoconial membrane; Methanolysis; Thermolysin; Reversed-phase high-performance liquid chromatography; Glycosaminoglycan (Suzuki, H. (114) 223)

Vasculature
Morphometry; Presbyacusis; Cochlea; Pathology (Gratton, M.A. (114) 1)

Vestibular receptor
Substance P; Ontogeny; Rat; Immunocytochemistry (Demêmes, D. (114) 252)

Vestibular system
Brain-derived neurotrophic factor; Neurotrophin; Auditory system; In situ hybridization (Don, D.M. (114) 10)

vH^+ATPase
exchanger; Endolymph; pH (Stanković, K.M. (114) 21)

VIIIth nerve
Frog; Inner ear; Wiener kernel; Polynomial correlation; Nonlinearity (van Dijk, P. (114) 229)

Frog; Inner ear; Temperature; Wiener kernel; Nonlinearity (van Dijk, P. (114) 243)

Whole-cell recording
Cochlear nucleus; Primary culture; Auditory brainstem; Culture medium (Fitzakerley, J.L. (114) 148)

Wiener kernel
Frog; Inner ear; VIIIth nerve; Polynomial correlation; Nonlinearity (van Dijk, P. (114) 229)

Frog; Inner ear; VIIIth nerve; Temperature; Nonlinearity (van Dijk, P. (114) 243)